

Cabinet Hardware



by

STANLEY

CATALOG F-100

Solid Brass

WHEN ORDERING SPECIFY: Class number, finish symbol, and size.
 Example: No. 4482CM 1 $\frac{1}{16}$ " (For finish symbols see back cover)



No. 4401
(Backplate)



No. 4452
(Pull)



No. 4456

No. 4453

No. 4452 PULL
 Solid Brass-Finishes A5-C-F-CM-CMD
 3 $\frac{1}{2}$ " centers, 4 $\frac{1}{4}$ " overall. One in envelope with screws
 One doz. in a box; 1 $\frac{3}{4}$ lbs.

No. 4401 BACKPLATE
 Wrought Brass-Finishes A5-C-F-CM-CMD
 1 $\frac{3}{4}$ " x 4 $\frac{3}{4}$ ". One in envelope. Two doz. in a box; 1 lb.

No. 4456 PULL
 Solid Brass-Finishes A5-C-F-CM-CMD
 3" Centers, 3 $\frac{1}{4}$ " overall. One in envelope with screws
 One doz. in a box; 1 $\frac{3}{4}$ lbs.

No. 4453 PULL
 Solid Brass-Finishes A5-C-F-CM-CMD
 2 $\frac{1}{4}$ " Centers, 3" overall. One in envelope with screws
 One doz. in a box; 1 $\frac{3}{4}$ lbs.



No. 4496 KNOB 1-1/16" diam.
 Solid Brass-Finishes
 A5-C-F-CM-CMD
 One in envelope with screws
 One doz. in a box; 1 lb.



No. 4496 KNOB 1-1/4" diam.
 Solid Brass-Finishes
 A5-C-F-CM-CMD
 One in envelope with screws
 One doz. in a box; 1 $\frac{1}{4}$ lbs.



No. 4496 KNOB 1-1/2" diam.
 Solid Brass-Finishes
 A5-C-F-CM-CMD
 One in envelope with screws
 One doz. in a box; 1 $\frac{1}{4}$ lbs.

No. 4408 BACKPLATE
 2 $\frac{1}{4}$ " diam.
 Wrought Brass-Finishes
 A5-C-F-CM-CMD
 One in envelope
 Two doz. in a box; 1 lb.



No. 4471 KNOB
 Wrought Brass-Finishes A5-C-F-CM-CMD
 Diameter 1 $\frac{1}{8}$ ". One in envelope with screws
 One doz. in a box; $\frac{5}{8}$ lbs.



No. 4463 $\frac{1}{2}$ PULL
 Wrought Brass-Finishes A5-C-F-CM-CMD
 2 $\frac{1}{4}$ " centers, 4 $\frac{3}{4}$ " overall. One in envelope with screws
 One doz. in a box; 1 $\frac{3}{4}$ lbs.
 For same pull in steel see page 4



WROUGHT BRASS COVER 2-1/2" HIGH
 For barrel of hinges
 1543, 1544, and 1545.
 Finishes
 A5-C-F-CM-CMD
 (See details at right)

FULL SURFACE



Wrought Brass-Finishes
 A5-C-F-CM-CMD



*No. 1539 $\frac{1}{2}$




*No. 1529 $\frac{1}{2}$

SEMI-CONCEALED



Wrought Brass-Finishes
 A5-C-F-CM-CMD



*No. 1527 $\frac{1}{2}$



*No. 1534 $\frac{1}{2}$



*No. 1536 $\frac{1}{2}$



*No. 1537 $\frac{1}{2}$



*No. 1538 $\frac{1}{2}$

Aluminum

by

STANLEY



No. 4482 KNOB 1-1/16" diam.
Solid Aluminum-Finish ALD
or Solid Brass-Finishes
A5-C-F-CM-CMD
One in envelope with screws
One doz. in a box, wt.:
ALUM. 3/5 lb., BRASS 1 lb.



No. 4482 KNOB 1-1/4" diam.
Solid Aluminum-Finish ALD
or Solid Brass-Finishes
A5-C-F-CM-CMD
One in envelope with screws
One doz. in a box, wt.:
ALUM. 3/5 lb., BRASS 1 1/4 lbs.



No. 4482 KNOB 1-1/2" diam. Solid Aluminum-Finish ALD or Solid Brass-Finish. A5-C-F-CM-CMD. One in envelope with screws. One doz. in a box, wt.: ALUM. 1 lb., BRASS 1 1/4 lbs.

No. 4408 BACKPLATE 2 1/2" diam. Wrought Aluminum-Finish ALD or Wrought Brass-Finishes A5-C-F-CM-CMD One in envelope Two doz. in a box, wt.: ALUM. 3/5 lbs. BRASS 1 lb.



No. 4401 (Backplate)



No. 4477 (Pull)

No. 4478

No. 4479

No. 4477 PULL
3 1/2" centers, 4" overall. Solid Aluminum-Finish ALD or Solid Brass-Finishes A5-C-F-CM-CMD. One in envelope with screws One doz. in a box, wt.: ALUM. 1 lb., BRASS 1 1/4 lbs.

No. 4401 BACKPLATE
1 3/4" x 4 3/4" Wrought Aluminum-Finish ALD or Wrought Brass-Finishes A5-C-F-CM-CMD. One in envelope Two doz. in a box, wt.: ALUM. 3/5 lbs., BRASS 1 lb.

No. 4478 PULL
3" centers, 3 1/2" overall. Solid Aluminum-Finish ALD or Solid Brass-Finishes A5-C-F-CM-CMD. One in envelope with screws One doz. in a box, wt.: ALUM. 3/5 lbs. BRASS 1 1/4 lbs.

No. 4479 PULL
2 1/4" centers, 2 3/4" overall. Solid Aluminum-Finish ALD or Solid Brass-Finishes A5-C-F-CM-CMD. One in envelope with screws One doz. in a box, wt.: ALUM. 3/5 lbs., BRASS 1 1/4 lbs.


ONLY THE BARREL COVER SHOWS WHEN DOOR IS CLOSED



WROUGHT ALUMINUM COVER 2-1/2" HIGH

for Barrel of hinges 1543, 1544, 1545 FINISH ALD (See details at right)

Only the barrel cover shows when door is closed. One pair in envelope with screws One doz. pair in a box. Wt. (all numbers) 3 lbs.



No. 1543 BUTT HINGE
2" x 1 3/4"
An ideal hinge for fine cabinet work.



No. 1544 FOR PLYWOOD DOORS
2" high. Standard for doors 3/4" thick available for doors 3/8", 1", 1 1/8" thick.




No. 1545 FOR LIPPED DOORS
2" high. Standard for 3/8" inset. Available for 1/2"-3/8"-3/4" insets.

HOW TO SPECIFY:

The barrel covers are supplied as part of the hinge. Specify hinge number and finish desired on the barrel cover. The inner frame is steel with a beautiful enameled finish which also serves as an excellent prime coat for painting.


ONLY THE BARREL SHOWS WHEN DOOR IS CLOSED:




Barrel of hinge 195 (Hinges 1584 1/2 and 1535 1/2 have no bottom lip)



No. 195
2" x 1 3/8"
2 1/2" x 1 3/8"



No. 1584 1/2
1 1/2" high or 2 1/2" high (specify)
For 3/4" door.
Also for 3/8"-1"-1 1/4" doors.



No. 1535 1/2
1 3/4" high
3/8" inset

†To obtain this hinge in steel specify 282 or 295 (See page 7 for further details). Sizes, weights and packing are the same for both steel and brass.



Catches, Knobs, Pulls.



No. 37K
Steel — Bright Zinc Plated. Tempered spring steel prevents breakage. Marking rings on screw holes locate catch automatically. One in envelope with screws. Two dozen in a box — 1 lb.



No. 34N
Steel — Bright Nickel Plated. Jaws of catch automatically adjust with strike. Prongs properly locate strike for accurate installation. One in envelope with screws. Two dozen in box — 1½ lbs.




No. 33K — Steel, Bright Zinc Plated
No. 33½C — Brass, Bright Brass Finish
One in envelope with screws. Two dozen in box — 1½ lbs.



No. 38K
Steel — Bright Zinc Plated. Rubber Roller prevents noise. Holds door away from cabinet. One in envelope with screws. Two dozen in box — 2 lbs.





No. 39K
Steel — Bright Zinc Plated. "Floating" strike adjusts for warping or shrinkage of door. One in envelope with screws. Two dozen in a box — 1 lb.



No. 36N
Steel — Bright Nickel Plated. A positive catch for the inactive leaf of a pair of doors. Elongated screw holes for easy adjustment. One in envelope with screws. Two dozen in a box — 1 lb.



No. 30C
Brass Case, Bright Brass Finish. Steel Strike and plunger. Tapered case for quick, easy application. One gross in box with nails — 1½ lbs.



MAGNETIC CATCH



No. 40ALD
"Floating" magnet adjusts for warping or shrinking of door. Anodized aluminum case. Steel strike zinc plated. One in envelope with screws. One dozen in box — 2 lbs.



No. 4467CM PULL
Steel — Bright Chrome Finish. 3½" centers, 4" overall. One in envelope with screws. One dozen in box — ¾ lb.



No. 4466CM PULL
Steel — Bright Chrome Finish. 3½" centers, 4" overall. One in envelope with screws. One dozen in a box — ¾ lb.



No. 4471 KNOB
Brass — Finishes A5-C-F-CM-CMD. 1½" diameter. One in envelope with screws. One dozen in box — ¾ lb.



No. 4463 PULL
Steel — Finishes A5-C-F-CM-CMD. 2½" centers, 4½" overall. One in envelope with screws. One dozen in a box — 1½ lbs.
For some pull in brass see page 2

Hinges, Ensembles ^{by} MATCHED **STANLEY**




No. 4430 KNOBS
Wrought Brass, Bronze and Stainless Steel Tops — Finishes A5-C-F-CM-CMD. One in envelope with screws. One dozen per box.
1½" Diam. Wt. 1 lb.
2" Diam. Wt. 1½ lbs.
2¾" Diam. Wt. 2 lbs.


No. 4410 BACKPLATES
Wrought Brass, Bronze and Stainless Steel — Finishes A5-C-F-CM-CMD. One in envelope. Two doz. per box.
2½" Diam. Wt. 1 lb.
3" Diam. Wt. 1¼ lbs.
3½" Diam. Wt. 1¼ lbs.



No. 4493CM KNOB
1¾" Diam. Pressure Cast Alloy — Bright Chrome Finish. One in envelope with screws. One dozen in box — 1¼ lbs.




No. 4220CM x CM LATCH
Pressure Cast Alloy — Bright Chrome Finish. For doors ¾" to 1¼" thick. Length of handle: 4¾". One in envelope with screws. ½ dozen in box — 1¼ lbs.




No. 4420CM PULL
Pressure Cast Alloy — Bright Chrome Finish. 2¾" centers, 3¾" overall. One in envelope with screws. One dozen in box — 1¼ lbs.

No. 4419CM PULL
Pressure Cast Alloy — Bright Chrome Finish. One in envelope with screws. 2¾" centers, 4¾" overall. One dozen in box — 2¼ lbs.

FULL SURFACE HINGES



No. 1539
For flush doors



No. 1529
For lipped doors with ¾" lip

STEEL — Finishes A5-C-F-CM-CMD. Length of pad: 2½". Length of barrel: 1½". One pair in envelope with screws. One dozen pair in box — 1¼ lbs.

For similar hinges in solid brass see page 2.



No. 4492 CM KNOB
1¾" Diam. Pressure Cast Alloy — Bright Chrome Finish. One in envelope with screws. One dozen in box — 1¼ lbs.



No. 4424CM PULL
Pressure Cast Alloy — Bright Chrome Finish. 2¾" centers, 3¾" overall. One in envelope with screws. One dozen in box — 1¼ lbs.



No. 4224CM x CM LATCH
Pressure Cast Alloy — Bright Chrome Finish. For doors ¾" to 1¼" thick. Length of handle: 3¾". One in envelope with screws. ½ dozen in box — 1¼ lbs.



No. 4487CM KNOB
1¾" Diam. Brass — Bright Chrome Finish. One in envelope with screw. One dozen in box — ¾ lb.



No. 4429CM PULL
Steel — Bright Chrome Finish. 2¾" centers, 4¾" overall. One in envelope with screws. One dozen in box — 1¼ lbs.



No. 4229CM x BK LATCH
Steel — Bright Chrome Finish. Satin black plastic thumbpiece. For doors ¾" to 1¼" thick. Length of handle: 4½". One in envelope with screws. ½ dozen in box — 1¼ lbs.




S-T-R-E-A-M-L-I-N-E-D

Hinges.

Matching pad designs for all details assure uniform appearance for all cabinets.


No. 1527*

Steel — Finishes P-A5-C-F-CM-CMD. For lipped doors STANDARD FOR $\frac{3}{8}$ " INSET. Length of pad: $2\frac{1}{2}$ " Length of barrel: $1\frac{1}{2}$ ". Available for $\frac{1}{2}$ "- $\frac{3}{8}$ "- $\frac{3}{4}$ " insets. One pair in envelope with screws. One dozen pairs in box — $2\frac{1}{4}$ lbs.




No. 1534*

Steel — Finishes P-A5-C-F-CM-CMD. For lipped doors with inset of $\frac{3}{8}$ " or more. Length of pad: $2\frac{1}{2}$ " Length of barrel: $1\frac{1}{2}$ ". One pair in envelope with screws. One dozen pairs in box — $2\frac{1}{4}$ lbs.




No. 1538*

Steel — Finishes P-A5-C-F-CM-CMD. For lipped doors without any inset. Special screws for door $\frac{3}{8}$ " thick. Length of pad: $2\frac{1}{2}$ ". Length of barrel: $1\frac{1}{2}$ ". One pair in envelope with screws. One dozen pairs in box — $2\frac{1}{4}$ lbs.




No. 1536*

Steel — Finishes P-A5-C-F-CM-CMD. For flush doors $\frac{3}{4}$ " thick. Length of pad: $2\frac{1}{2}$ ". Length of barrel: $1\frac{1}{2}$ ". One pair in envelope with screws. One dozen pairs in box — $2\frac{1}{4}$ lbs.



No. 1537*

Steel — Finishes P-A5-C-F-CM-CMD. For flush doors $\frac{3}{8}$ " or more thick. Length of pad: $2\frac{1}{2}$ ". Length of barrel: $1\frac{1}{2}$ ". One pair in envelope with screws. One dozen pairs in box — $2\frac{1}{4}$ lbs.




FIT EVERY DETAIL

by

STANLEY

Raised barrel on all hinges for lipped doors allows full 180 degree swing




No. 1535*

Steel — Finishes P-A5-C-F-CM-CMD
 $\frac{3}{8}$ " INSET.

Both leaves concealed when door is closed (only the slim barrel shows). Spotting points for quick, accurate installation. Length of barrel $1\frac{1}{4}$ ".



One pair in envelope with screws
One dozen pair in a box — $2\frac{1}{2}$ lbs.



No. 1584* Two Sizes


$1\frac{1}{2}$ " high for light cabinet doors, $2\frac{1}{2}$ " high for larger cabinets and wardrobes. Standard for doors $\frac{3}{4}$ " thick. Available for doors $\frac{3}{8}$ "- $1\frac{1}{4}$ " thick. Loose pin permits easy installation. Steel — Finishes P-A5-C-F-CM-CMD. One pair in envelope with screws. One Dozen pairs in box — $1\frac{1}{2}$ " size — $2\frac{1}{2}$ lbs. $2\frac{1}{2}$ " size — 6 lbs.

NOTE: Also available with fast pins. Specify 1583





No. 282P — Steel, prime coated for painting

No. 295† — Steel, Finishes A5-C-F-CM-CMD
 2 " x $1\frac{1}{4}$ " for light cabinet doors. $2\frac{1}{2}$ " x $1\frac{1}{4}$ " for larger cabinets and wardrobes. One pair in envelope with screws. One dozen pairs in box — 2 " — $2\frac{3}{8}$ lbs. $2\frac{1}{2}$ " — $3\frac{1}{8}$ lbs.



No. 333

Steel — Finishes P-A5-C-K. For $\frac{3}{4}$ " doors that completely overlap frame. No vertical stiles required. Only pivot shows when door is closed. Spotting points and elongated screw holes for quick, accurate installation. One pair in envelope with screws. One dozen pair in a box — $2\frac{1}{2}$ lbs.




No. 334

Steel — Finishes P-A5-C-K. For $\frac{3}{4}$ " doors that completely overlap frame. No horizontal stiles required. Only pivot shows when door is closed. Elongated screw holes for quick, accurate installation. One pair in envelope with screws. One dozen pair in a box — $2\frac{1}{2}$ lbs.

RANCH CRAFT[®]

FOR Full Size INTERIOR DOORS


A distinctive new style. Created for today's living.





**No. 23F3
ROLLER LATCH**
Face plate 2 1/4" x 1"
Strike 2 1/4" x 1 1/4"
Hole required in door
3/8" x 2 1/8". One dozen
per box — 2 1/2 lbs.



**No. 4314
HANDLESET**
For room doors
where the grip is
desired on push
side of door.



**No. 4315
HANDLESET**
For closets and other
doors where the grip
is desired on pull
side of door. Length
overall: 9". Grip: 4 1/4"
Projection: 1 3/8". One
set in a box with
screws. Six sets in a
carton — 4 1/2 lbs.



**No. 241F3
RANCH CRAFT HINGE**
One pair in a box with screws
3 1/2" x 3 1/2" — 1 1/2 lbs. per pair
4" x 4" — 1 3/4 lbs. per pair
Other sizes on order

No. 4317 DOOR PULL
Length overall: 9". Grip: 4 1/4". Projection:
1 3/8". One in a box with screws
Six in a carton — 2 lbs.



No. 4316 DUMMY STRAP For use with No. 241F3 hinges. 3 pairs in a box — 2 1/2 lbs.




No. 4313 STRAP HINGE Door Leaf: 13" x 1 1/2". Pad: 3" x 1 1/8". One pair in box with
screws. Six pairs in carton — 10 1/2 lbs. Fits same details as 4311. See next page.

**RANCHCRAFT HAS
A SOFT, SATINY
OLD BRASS
APPEARANCE**

RANCH CRAFT[®] *by* STANLEY

FOR CABINETS

TWO THEMES: Straps for subdued effects, horseshoes for accent and variety.



SURFACE LATCH

No. 4302 — Flush
No. 4303 — For $\frac{3}{8}$ " lip
Size overall: $3" \times 2\frac{1}{8}"$. One in box with pyramid screws. One dozen in carton — $2\frac{1}{2}$ lbs.



RING PULL or DOOR KNOCKER
No. 4301 — Size overall: $2\frac{1}{4}" \times 2\frac{1}{4}"$
One in a box with pyramid screws
One dozen in carton — 4 lbs.



SURFACE HINGE
No. 4304 — Flush
No. 4305 — For $\frac{3}{8}$ " lip
Size overall: $2\frac{3}{8}" \times 2\frac{3}{8}"$
One pair in box with pyramid screws
One dozen pairs in carton — $3\frac{1}{2}$ lbs.



No. 4306
CABINET LATCH
For doors $\frac{3}{8}"$ to $1\frac{1}{8}"$ thick
Size overall: $4" \times 1\frac{1}{4}"$
One set in box with pyramid screws. $\frac{1}{2}$ dozen in carton — $2\frac{1}{2}$ lbs.



No. 4309
Knob $1\frac{1}{2}"$ diam. One in box with screws. One dozen in carton — 1 lb.




No. 4307



No. 4308

PULLS

No. 4307 — $3\frac{3}{4}"$ centers, $4\frac{1}{2}"$ overall
No. 4308 — $4\frac{1}{4}"$ centers, $5"$ overall
One in a box with screws
One dozen in carton: No. 4307 — $1\frac{1}{2}$ lbs.
No. 4308 — $1\frac{1}{2}$ lbs.



No. 4310 HINGE
Standard with $\frac{3}{8}"$ inset
Available with $\frac{1}{2}"$, $\frac{3}{8}"$, $\frac{3}{16}"$ insets
Length of pad: $2\frac{1}{2}"$. Length of barrel: $1\frac{1}{2}"$. One pair in box with screws
One dozen pairs in carton — $2\frac{1}{2}$ lbs.



Regular 4310


Also available to suit these details — specify:



4334



4338



4336



4337




STRAP HINGES

No. 4312 — For $\frac{3}{8}"$ lipped doors No. 4311 — For Flush Doors

Door leaf: $6\frac{3}{4}" \times 1"$
Pad: $1\frac{3}{4}" \times \frac{3}{4}"$
One pair in box with screws. $\frac{1}{2}$ dozen pair in carton — $2\frac{1}{2}$ lbs.
Either half or full surface

All Ranch Craft items are made from wrought steel, toughened and hardened by cold rolling.



4311 Details

RUSTIC IRON

FOR *Full Size* INTERIOR DOORS

All items available with smooth surface omit prefix W (J1 finish only)



HANDLESET
No. W1243 — Trim A
No. W1243½ — Trim B
Length: 8¼". Grip:
5½". Projection: 1½"
One set in envelope
with pyramid screws
½ dozen sets in box —
4 lbs.



No. W1253 PULL
Length: 8¼". Grip:
5½". Projection: 1½"
One in envelope with
pyramid screws. One
dozen in box — 2 lbs.



HANDLESET
No. W1236 — Trim A
No. W1236½ — Trim B
Length: 7½". Grip: 3½".
Projection: 1½"
One set in envelope with
pyramid screws ½ dozen
sets in box — 4½ lbs.




No. W1256 PULL
(Specify 6" size)
Length: 6". Grip: 3"
Projection: 1½"
One in envelope
with pyramid screws
One dozen in box
2 lbs.



HANDLESET
No. W1237 — Trim A
No. W1237½ — Trim B
Length: 6". Grip: 3½"
Projection: 1½"
One set in envelope
with screws. ½ dozen
sets in box — 4½ lbs.



No. W1278 PULL
(Specify 6" size)
Length: 6". Grip: 3½"
Projection: 1½"
One in envelope
with pyramid screws
One dozen in box
2½ lbs.



TRIM A
For room doors where grip is desired
on push side of door.

FINISHES

ANTIQUE COPPER
(Suffix D3 to class number)


ANTIQUE BLACK
(Suffix J1 to class number)



TRIM B
For closets and other doors where grip
is desired on pull side of door.



No. W1191 BOLT
For dutch doors, etc. Two sizes: 4" and 6"
Furnished with both surface and universal
strikes. One in envelope with pyramid screws
All sizes packed 1 dozen, weight 6 lbs.



No. W1190 BOLT
Three sizes: 3", 4", and 6"
Furnished with universal, angle
and surface strikes. One in
envelope with pyramid screws
All sizes packed 1 dozen, weight
3": 3 lbs., 4": 4 lbs., 6": 5 lbs.



**No. W241
HINGE**
One pair in a box
with screws
3½" x 3½": 1½ lbs.
per pair
4" x 4": 1¾ lbs.
per pair



No. W1857 — 13" DUMMY STRAP
One pair in envelope with pyramid head
screw. ¼ dozen pair in a box — 2½ lbs.
For use with No. 241 Hinge shown at left



No. W1239 LATCH — BRASS KNOB
Length overall: 4¾". One in envelope
with pyramid screws. One dozen
in box: 1¾ lbs.

RUSTIC IRON

FOR CABINETS

by

STANLEY




No. W555 HINGE
Standard with $\frac{3}{8}$ " inset
Available with $\frac{1}{2}$ "— $\frac{5}{8}$ "— $\frac{3}{4}$ " insets
Length of barrel: $1\frac{1}{2}$ ". Length
of pad: 3". One pair in envelope
with pyramid screws. One dozen
pairs per box — 2 $\frac{1}{4}$ lbs.



W555

Also available to suit
these details — specify:



W534

W536

W538

W537



No. W4274 LATCH
Length: $4\frac{3}{4}$ ". Grip: $2\frac{1}{4}$ ". Projection: $\frac{3}{4}$ "
One in envelope with
pyramid screws. One
dozen in a box — 3 lbs.



No. W1274 PULL
Length: $4\frac{1}{4}$ ". Grip: $2\frac{1}{4}$ ". Projection: $\frac{3}{4}$ "
One in envelope with pyramid screws
One doz. in a box — 1 lb.



No. W4476 KNOB
Two sizes: 1" and $1\frac{1}{8}$ "
Diam. One in envelope
with screw
One dozen in a box —
1"— $1\frac{1}{2}$ lbs.
 $1\frac{3}{8}$ "— $1\frac{1}{2}$ lbs.



PULL
No. W4415
No. W4415 $\frac{1}{2}$ — Brass Ring
Size: 2" x $1\frac{3}{4}$ ". One in envelope
with pyramid screws. One dozen
in a box — $1\frac{1}{2}$ lbs.



No. W277 HINGE
Size: $1\frac{3}{8}$ " x $1\frac{3}{8}$ "
One pair in
envelope with
pyramid screws
One dozen pair in
a box — 2 $\frac{1}{4}$ lbs.



No. W1256 PULL (Specify $4\frac{1}{4}$ " size)
 $4\frac{1}{4}$ " overall, Grip: $2\frac{1}{4}$ ". Projection: $\frac{3}{4}$ "
One in envelope with pyramid screws
One dozen in a box — $\frac{5}{8}$ lb.



No. W1254 PULL
Length: $5\frac{1}{4}$ ". Grip: $2\frac{3}{4}$ ". Projection: $\frac{3}{8}$ "
One in envelope with pyramid screws
One doz. in a box — $1\frac{1}{2}$ lbs.



LATCH
No. W1121 — 3"
Also available for $\frac{3}{8}$ "
lipped doors. One in
envelope with pyramid screws.
One dozen in a box: $1\frac{1}{2}$ lbs.



No. W289 HINGE
One pair in
envelope with
screws. One dozen
pair in a box —
2" x 2" — 3 lbs.
 $2\frac{1}{2}$ " x 2"
 $3\frac{1}{2}$ lbs.



No. W1278 PULL (Specify $5\frac{1}{4}$ " size)
Length: $5\frac{1}{4}$ ". Grip: $3\frac{3}{4}$ ". Projection: 1"
One in envelope with pyramid screws
One doz. in a box — $1\frac{1}{4}$ lbs.



LATCH
No. W1124 $\frac{1}{2}$
No. W1124 $\frac{1}{4}$ — Brass Knob
Two sizes: $2\frac{3}{4}$ " and 3"
Also available for $\frac{3}{8}$ "
lipped doors. One in
envelope with pyramid screws.
One dozen in a box:
 $2\frac{3}{4}$ ": $1\frac{1}{2}$ lbs. 3": $1\frac{3}{4}$ lbs.



LATCH
No. W1123
No. W1123 $\frac{1}{4}$ — Brass Knob
Also available for $\frac{3}{8}$ " lipped
doors. Plate size: 2" x $1\frac{1}{4}$ "
One in envelope with pyramid
screws. One dozen in box —
 $1\frac{1}{2}$ lbs.




STRAP HINGE

No. W1858 — Sizes: $6\frac{1}{2}$ "— $8\frac{3}{4}$ "— 9 "— 13 "— 18 "
No. W1859 — Sizes: 9 "— 13 "— 18 "
*These sizes available for $\frac{3}{8}$ " lipped doors
One pair in envelope with pyramid screws



H-HINGE
No. W857 — Sizes: 2",
3", 4", 7"
No. W557 — Size: 7" only
(Specify for $1\frac{3}{8}$ " or
 $1\frac{3}{4}$ " door)
*This size available for
 $\frac{3}{8}$ " lipped door.
One pair in envelope
with pyramid screws



HL-HINGE
No. W858 — Sizes: 2", 3",
4", 7"
No. W558 — Size: 7" only
(Specify for $1\frac{3}{8}$ " or $1\frac{3}{4}$ " door)
*This size available for
 $\frac{3}{8}$ " lipped door
One pair in envelope with
pyramid screws



Either half or full surface

No. W1858



No. W1859



No. W857



No. W557



No. W858



No. W558

STANLEY

FINISH SYMBOLS:

- ALD Satin alumillite
- A5 Satin bronze
- C Bright brass
- CM Bright chrome
- CMD Satin chrome
- D3 Antique copper
- F Satin brass
- F3 Antique brass
- J1 Antique black
- K Bright zinc
- P Prime coat

THE STANLEY WORKS
CABINET HARDWARE DIVISION
New Britain, Conn., U.S.A.

